






FIG. 3



















FIG. 7







FIG. 8(a)

```
xml version="1.0" encoding="UTF-8" ?>
- <application usecookies="false" id="{F6681A6F-FB7C-4901-855C-08791DDE8DC8}"</p>
   securevariables="false">
   <description version="1" name="MQBanking" />
   <outtargets />
   <startform totargetid="UserID" />
   <subapps />
   <errortarget totargetid="UserID" />
 - - properties>
    <variable default="209.23.23.23" name="ServerIP" />
   </properties>
 <sessionvariables>
    <variable name="Session" />
   </sessionvariables>
 - <forms>
   - <form targetid="UserID" includeheaders="false">
      <stylesheet contenttype="WML11" url="http://www.mobileg.com"/>
      <action totargetid="Password" name="OK" />
      <inputvariables />
    - <outputvariables>
        <variable name="UserID" />
      </outputvariables>
      <events />
    </form>
  - <form targetid="Password" includeheaders="false">
      <stylesheet contenttype="WML11" url="http://www.mobileg.com" />
      <action totargetid="Main" name="OK" />
    - <inputvariables>
        <variable name="UserID" />
      </inputvariables>
    - <outputvariables>
        <variable name="Session" />
      </outputvariables>
      <events/>
    </form>
   - <form targetid="Main" includeheaders="false">
      <stylesheet contenttype="WML11" url="http://www.mobileq.com" />
      <action totargetid="Account" name="Account Balance" />
      <action totargetid="Bill Payment" name="Bill Payment" />
      <action totargetid="Transfer" name="Account Transfer" />
      <inputvariables />
      <outputvariables />
      <events/>
    </form>
   - <form targetid="Account" includeheaders="false">
      <stylesheet contenttype="WML11" url="http://www.mobileq.com" />
      <action totargetid="Details" name="OK" />
      <inputvariables />
    - <outputvariables>
                                                          FIG. 8(b)
        <variable name="AccountID" />
      </outputvariables>
```

```
<events/>
    form>
  <form targetid="Details" includeheaders="false">
   <stylesheet contenttype="WML11" url="http://www.mobileq.com" />
   <action totargetid="Main" name="OK" />
 - <inputvariables>
     <variable name="AccountID" />
   </inputvariables>
   <outputvariables />
   <events/>
 </form>
- <form targetid="Bill Payment" includeheaders="false">
   <stylesheet contenttype="WML11" url="http://www.mobileq.com" />
   <action totargetid="Bill" name="OK" />
   <inputvariables />
 - <outputvariables>
     <variable name="AccountID" />
   </output/variables>
   <events/>
  </form>
- <form targetid="Bill" includeheaders="false">
   <stylesheet contenttype="WML11" url="http://www.mobileq.com" />
   <action totargetid="Amount" name="OK" />
  - <inputvariables>
     <variable name="AccountID" />
   </inputvariables>
  - <outputvariables>
     <variable name="BillID" />
     <variable name="AccountID" />
   </output/ariables>
   <events />
  </form>
- <form targetid="Amount" includeheaders="false">
   <stylesheet contenttype="WML11" url="http://www.mobileq.com" />
   <action totargetid="Confirm" name="OK" />
  <inputvariables>
     <variable name="BillID" />
     <variable name="AccountID" />
   </inputvariables>
  - <outputvariables>
     <variable name="AccountID" />
     <variable name="BillID" />
     <variable name="Amount" />
    </outputvariables>
   <events />
  </form>
- <form targetid="Confirm" includeheaders="false">
    <stylesheet contenttype="WML11" url="http://www.mobileq.com" />
    <action totargetid="Main" name="Cancel" />
  - <inputvariables>
     <variable name="AccountID" />
                                              FIG. 8(c)
     <variable name="BillID" />
```





FORM INPUT VARIABLE

FIG. 9



	(Text)	@iq	access_registration [access_status] cluster document_url harvest_time headline_text media_type Source Tagline
Select Events Variables Links   StyleSheets   Info   Form Title:     Select Items Select Items Select Items Select Items Select Items   List Text		OK II Cancel II Apply Help	Select Form1



		(Text)	@iq	access_registration access_status cluster document_url harvest_time headline_text	Source Tagline url
Select Events Variables Links   StyleSheets   Info   Form Title: Variables   Links   StyleSheets   Info   Form Title: Variables   Selected   Variables   Elist Text   Variables   Name: Form Input Variables   Name: Form Output Variables   Name: For	Value: Form Data ► News ► moreovernews ► (Text)		OK Cancel CApply Help	Select Form1	FIG. 11



×	access_registration access_status cluster document_url harvest_time	media_type Source Tagline	
Moreovernews More.		Cancel   Apply   Help	ELEMENT
S   StyleSheets		OK	Select Form1
Select   Events   Variables   Links   StyleSheets   Info   Form Title:	Output Variable  Name: [  Value: [		

FIG. 12



SELECT FORM PROPERTIES	×
Select   Events   Variables   Links   StyleSheets   Info	
	I
⊟ ∞Form Title: ☆▼   <%/state/variables/variable[@name='strLastName']%>	
Select Items - The select Items	
Element   taresults/data[@name='News']/moreovernews/article%>	
□st Text	
— Output Variable	
i Name: * strName	
	ξ
Value:  ▼  <%/document_url%>	
	78
	1
OK   Cancel   Apply   Help	d

## FIELD CHOOSER OUTPUT

## FIG. 13